



Rolls-Royce

# EJ200 turbofan

Power for the Eurofighter Typhoon




## EJ200 turbofan

### Europe's leading combat engine

The EJ200 turbofan engine is a collaborative engine developed by EUROJET which comprises Rolls-Royce, MTU, Avio and ITP.

The EJ200 is Europe's commitment to meeting the power requirements of the next generation of high performance military aircraft.

- **Thrust range from 13,500lbf non-reheated to 20,000lbf with reheat**
- **Europe's leading combat engine**
- **Over 1,300 engines to be produced**
- **EJ200 powered Eurofighter Typhoon deliveries ongoing**



## intelligent innovation

**The technology of the EJ200 engine** makes it both smaller and simpler in layout than current powerplants of a similar thrust class, while giving it lower fuel consumption and an unprecedented power to weight ratio—all vital factors for enhancing the multi-mission performance and effectiveness of combat aircraft.

**Among the most advanced features** of the EJ200 are a fan design that gives high stability without the need for Inlet Guide Vanes (IGVs), the application of blisks, wide-chord aerofoils, single crystal blades, an airspray combustion system and an integral Full Authority Digital Engine Control (FADEC) providing low pilot workload and comprehensive fleet management capability.

**Two EJ200 engines power the Eurofighter Typhoon** achieving a combined thrust of over 40,000lbf. Over 1,300 engines are due for delivery to the Eurofighter Typhoon customers of the United Kingdom, Germany, Italy, Spain and Austria.

**The first series production Eurofighter Typhoon aircraft** were flown in February 2003 and are now in operation with the UK, German, Italian and Spanish airforces. During service, EJ200 will match or exceed the most demanding international standards for operational support required by the US, Europe and other International customers.



## Engine Specification

Engine	<b>EJ200</b>
Thrust lbf (kN)	20,000 (89) reheated
Bypass ratio	0.4
Pressure ratio	26
Length in (m)	157 (4)
Diameter in (m)	29 (0.74)
Basic Weight lb (Kg)	2,180 (989)
Compressor	3LP, 5HP
Turbine	1HP, 1LP
Applications	Eurofighter Typhoon



**Rolls-Royce**

© Rolls-Royce plc 2009

The information in this document is the property of Rolls-Royce plc and may not be copied, or communicated to a third party, or used, for any purpose other than that for which it is supplied without the express written consent of Rolls-Royce plc.

Whilst this information is given in good faith based upon the latest information available to Rolls-Royce plc, no warranty or representation is given concerning such information, which must not be taken as establishing any contractual or other commitment binding upon Rolls-Royce plc or any of its subsidiary or associated companies.

VCOMB 0634 March 2009 / Printed on 75% recycled material

Rolls-Royce plc  
PO Box 3, Filton,  
Bristol, BS34 7QE England  
Tel: +44 (0) 117 979 1234  
Fax: +44 (0) 117 979 7575

PO Box 420, Indianapolis,  
Indiana, 46206-0420 USA  
Tel: + 1 317 230 2000  
Fax: + 1 317 230 5100

[www.rolls-royce.com](http://www.rolls-royce.com)